

Scapa 875

Aluminised Polypropylene Adhesive Tape

DESCRIPTION

Scapa 875 is an aluminised polypropylene film (30 μ) with a very aggressive acrylic adhesive system, and is specially designed for splicing new thin reflective insulation panels. Its color is aluminium.

APPLICATIONS

- Splicing and repairing thin thermal reflective insulation panels

PRODUCT BENEFITS

- Same aspect as reflective panels
- Good vapour barrier
- Good ageing and UV resistance
- Very good adhesion on rough and dusty surfaces
- Very conformable
- Easy to unwind
- Hand tearable
- Aggressive adhesive

TECHNICAL PROPERTIES

Technical Property	Nominal Value	Unit	Test Method
Adhesion to Steel	7	N/cm	AFERA 4001
Elongation at Break	100	%	AFERA 4005
Operating Temperature	-40 to +110	°C	-
Tensile Strength	30	N/cm	AFERA 4004
Thickness	0.06	mm	AFERA 4006

Note:

Optical Density : 2,2

STANDARD PRESENTATIONS

- Colours: Aluminium
- Core: 76mm
- Packaging: Cardboard
- Roll Length: 25 and 50 metres
- Roll Width: 100mm

Note:

RECOMMENDATIONS

Rolls should be stored flat on their cut edges in the original packaging. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes.

The storage temperature should be between +10°C and +25°C.

A strict use-by date of one year from the date of manufacture is recommended.